



RAMI
Upholstery fabrics




4342



4380



4345




4454



4625




4642



4745




4831



5028




5936




5872



6054



6336



6165



6636




6072



6727



6918



3027



3124

RAMI

Upholstery fabrics

Breite: 140 cm
Gewicht: 600 G/M²
Material: Wolle 80%
 Rami 20%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4 (Scale 1-5)
Gegen Licht nach EN ISO 105-B02
 - 5-7 (Skala 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Scheuerfestigkeit:
Martindale (Nach: EN ISO 12947-2):
 - 70000 Touren

Schwerentflammbarkeit:
 - BS 5852 Crib 5
 - UNI 9175, 1 IM
 - TB 117
 - IMO FTP Code Part 8 (IMO Res. A.652 (16))

Wartungsanweisungen:



For further information:


Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com





3022



3145




6972



3318



3536



3726



3863



3622



3651



6810



3030



3072



8700



8500



6370



6331




4861



8200



6380



8900

RAMI Upholstery fabrics

Breite: 140 cm
Gewicht: 600 G/M²
Material: Wolle 80%
Rami 20%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)
Gegen Licht nach EN ISO 105-B02
- 5-7 (Skala 1-8)
Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

Scheuerfestigkeit:
Martindale (Nach: EN ISO 12947-2):
- 70000 Touren

Schwerentflammbarkeit:
- BS 5852 Crib 5
- UNI 9175, 1 IM
- TB 117
- IMO FTP Code Part 8 (IMO Res. A.652 (16))

Wartungsanweisungen:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com

