




**BALANCE**  
Upholstery fabrics



3030




3227



3418



3726



3732



3863




4436



4454




4615




4745



4831



5026



5636



5842



5917



6072



6336



6636



6708



6908

## BALANCE

### Upholstery fabrics

**Design von:** Eva Larsson

**Breite:** 140 cm

**Gewicht:** 570 G/M<sup>2</sup>

**Material:** Wolle 82%  
Polyamid 6%  
RAMI 12%

**Color fastness:**

Against dry rubbing according to  
EN ISO 105-X12:

- 4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02  
- 5-7 (Skala 1-8)

Against wet rubbing according to  
EN ISO 105-X12:

- 3-4 (Scale 1-5)

**Scheuerfestigkeit:**

Martindale (Nach: EN ISO 12947-2):

- 100000 Touren

**Schwerentflammbarkeit:**

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- UNI 9175, 1 IM- TB 117-

IMO FTP Code 2010:

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code 2010: Part 8

**Zertifikate:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






6972



8200



8500



8900

## BALANCE

### Upholstery fabrics

**Design von:** Eva Larsson

**Breite:** 140 cm

**Gewicht:** 570 G/M<sup>2</sup>

**Material:** Wolle 82%  
Polyamid 6%  
RAMI 12%

**Color fastness:**

Against dry rubbing according to  
EN ISO 105-X12:

- 4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02  
- 5-7 (Skala 1-8)

Against wet rubbing according to  
EN ISO 105-X12:

- 3-4 (Scale 1-5)

**Scheuerfestigkeit:**

Martindale (Nach: EN ISO 12947-2):

- 100000 Touren

**Schwerentflammbarkeit:**

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- UNI 9175, 1 IM- TB 117-

IMO FTP Code 2010:

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code 2010: Part 8

**Zertifikate:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

