





**LANE**  
Upholstery fabrics


 **svensson**




3050



3326



3333



3444



3750



3871



4220



4332



4421




4471




4540




4551




4651



4661




5052




5061




5071



5421



5632



6071

## LANE Upholstery fabrics

**Breite:** 140 cm  
**Gewicht:** 350 G/M<sup>2</sup>  
**Material:** Wolle 100%

**Color fastness:**  
*Against dry rubbing according to EN ISO 105-X12:*  
- ≥ 4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
- ≥ 5-7 (Skala 1-8)  
*Against wet rubbing according to EN ISO 105-X12:*  
- ≥ 3-4 (Scale 1-5)

**Scheuerfestigkeit:**  
*Martindale (Nach: EN ISO 12947-2):*  
- 50000 Touren

**Schwerentflammbarkeit:**  
- IMO FTP Code Part 8

**Wartungsanweisungen:**




**For further information:**


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: info@ludvigsvensson.com






6320



6471



6560



6732



6740



6831



6934



6952



8400



8500

## LANE

### Upholstery fabrics

**Breite:** 140 cm  
**Gewicht:** 350 G/M<sup>2</sup>  
**Material:** Wolle 100%

**Color fastness:**  
*Against dry rubbing according to EN ISO 105-X12:*  
 - ≥ 4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
 - ≥ 5-7 (Skala 1-8)  
*Against wet rubbing according to EN ISO 105-X12:*  
 - ≥ 3-4 (Scale 1-5)

**Scheuerfestigkeit:**  
*Martindale (Nach: EN ISO 12947-2):*  
 - 50000 Touren

**Schwerentflammbarkeit:**  
 - IMO FTP Code Part 8

**Wartungsanweisungen:**



**For further information:**

Svensson  
 511 82 Kinna, Sweden

T: +46 320 20 92 00  
 F: +46 320 21 10 10  
 E: info@ludvigsvensson.com

