




**RAMI**  
Upholstery fabrics



3022



3027



3030




3072



3124



3145



3318



3536



3622



3651



3726



3863



4342




4345



4380



4454



4625



4642



4745



4831

## RAMI Upholstery fabrics

**Width:** 140 cm

**Weight:** 600 g/m<sup>2</sup>

**Material:** Wool 80%  
Rami 20%

**Color fastness:**

*Against dry rubbing according to*

*EN ISO 105-X12:*

- 4 (Scale 1-5)

*Against light according to EN ISO*

*105-B02*

- 5-7 (Scale 1-8)

*Against wet rubbing according to*

*EN ISO 105-X12:*

- 3-4 (Scale 1-5)

**Abrasion resistance:**

*Martindale (According to EN ISO*

*12947-2):*

- 70000 rubs

**Flame retardancy:**

- BS 5852 crib 5

- UNI 9175, 1 IM

- TB 117 IMO FTP Code Part 8 (IMO

Res.A.652 (16))

**Care instructions:**



**For further information:**


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)





4861



5028



5872



5936



6054



6072




6165



6331



6336



6370



6380



6636




6727




6810




6918



6972




8200



8500



8700



8900

## RAMI Upholstery fabrics

**Width:** 140 cm

**Weight:** 600 g/m<sup>2</sup>

**Material:** Wool 80%  
Rami 20%

**Color fastness:**

*Against dry rubbing according to*

*EN ISO 105-X12:*

- 4 (Scale 1-5)

*Against light according to EN ISO*

*105-B02*

- 5-7 (Scale 1-8)

*Against wet rubbing according to*

*EN ISO 105-X12:*

- 3-4 (Scale 1-5)

**Abrasion resistance:**

*Martindale (According to EN ISO*

*12947-2):*

- 70000 rubs

**Flame retardancy:**

- BS 5852 crib 5

- UNI 9175, 1 IM

- TB 117 IMO FTP Code Part 8 (IMO

*Res.A.652 (16))*

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)

