



RAMI
Upholstery fabrics




4342



4380



4345




4454



4625




4642



4745



4831



5028



5936



5872



6054




6336



6165



6636




6072



6727



6918



3027



3124

RAMI Upholstery fabrics

Design by: Eva Larsson
Width: 140 cm
Weight: 600 g/m²
Material: Wool 80%
Rami 20%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)
Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
- 70000 rubs

Flame retardancy:
- BS 5852 crib 5
- UNI 9175, 1 IM
- TB 117 IMO FTP Code Part 8 (IMO Res.A.652 (16))

Care instructions:



Certificates:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com





3022



3145




6972



3318



3536



3726



3863



3622



3651



6810



3030



3072



8700



8500



6370



6331




4861



8200



6380



8900

RAMI Upholstery fabrics

Design by: Eva Larsson
Width: 140 cm
Weight: 600 g/m²
Material: Wool 80%
Rami 20%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)
Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
- 70000 rubs

Flame retardancy:
- BS 5852 crib 5
- UNI 9175, 1 IM
- TB 117 IMO FTP Code Part 8 (IMO Res.A.652 (16))

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com

