



**SEMI**  
Upholstery fabrics

 **svensson**



3124



3227



3363



3418




3436



3481



3554



3622



4342



4363



4424



4432



4570



4572




4852




4863



5042



5572



5663



5745

## SEMI

### Upholstery fabrics

**Width:** 140 cm  
**Weight:** 330 g/m<sup>2</sup>  
**Material:** Wool 85%  
 Polyamid 15%

**Color fastness:**  
 Against dry rubbing according to EN ISO 105-X12:  
 - ≥ 4 (Scale 1-5)  
 Against light according to EN ISO 105-B02  
 - ≥ 5-7 (Scale 1-8)  
 Against wet rubbing according to EN ISO 105-X12:  
 - ≥ 3-4 (Scale 1-5)

**Abrasion resistance:**  
 Martindale (According to EN ISO 12947-2):  
 - 100000 rubs

**Flame retardancy:**  
 - EN ISO 1021 part 1, 2- BS 5852  
 Crib 5- IMO FTP Code 2010:  
 - BS 5852 Crib 5  
 - IMO FTP Code 2010: Part 8  
 - UNI 9175, 1 IM  
 - TB 117

#### Care instructions:



#### For further information:


Svensson  
 511 82 Kinna, Sweden

T: +46 320 20 92 00  
 F: +46 320 21 10 10  
 E: info@ludvigsvensson.com





5925



6081



6145



6431



6434



6536



6623



6661




6727



6745



6750



6752



6918



6936




6963



8400



8500



8600



8700



8900

## SEMI Upholstery fabrics

**Width:** 140 cm

**Weight:** 330 g/m<sup>2</sup>

**Material:** Wool 85%  
Polyamid 15%

**Color fastness:**

Against dry rubbing according to  
EN ISO 105-X12:  
- ≥ 4 (Scale 1-5)

Against light according to EN ISO  
105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to  
EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO  
12947-2):

- 100000 rubs

**Flame retardancy:**

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- IMO FTP Code 2010:

- BS 5852 Crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1 IM

- TB 117

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

