




AKEMI
Hanging fabrics



8700



6742



8102



3020




8100



6756



6732



6837




3655




3368



3355




3225




3978




3746




3935



3067



5868



5853



6426



5246

AKEMI Hanging fabrics

Width: 150 cm

Weight: 210 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- DIN 4102, B1- NF P 92-503-507, M1- EN 13773, Class 1- SN 198898-BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

- EN 13501-1, B-s1, d0

- NFPA 701

- UNI 8456/8457

Acoustics:

Measurement of sound absorption in a reverberation room: EN ISO 354:2003 Ration of sound absorption EN ISO 11654:1997: w = 0,80, Class B

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






5235



4656



4466



4424



4377

AKEMI Hanging fabrics

Width: 150 cm

Weight: 210 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- DIN 4102, B1- NF P 92-503-507, M1- EN 13773, Class 1- SN 198898- BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

- EN 13501-1, B-s1, d0

- NFPA 701

- UNI 8456/8457

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com



Acoustics:

Measurement of sound absorption
in a reverberation room: EN ISO
354:2003 Ration of sound absorption
EN ISO 11654:1997: w = 0,80, Class
B