




WELL
Hanging fabrics




8990




6980



8977




8300



8022



8010




1700



1500




3020




6730




6780




6880




6630



6967



3360



3655




3740



3680



3560



3950

WELL Hanging fabrics

Width: 150 cm

Weight: 290 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- IMO FTP Code Part 7 (IMO Res A 471(12)IMO Re A 563 (14))

- EN 13773, Class 1

- NF P 92-503-507, M1

- SN 198898

- EN 13501-1

- UNI 8456/8457

- NFPA 701

Acoustics:

Measurement of sound absorption

in a reverberation room: EN ISO

354:2003. Ration of sound absorption

EN ISO 11654:1997: $w = 0,85$ Class

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com






4150



4540



4434




4656



4250



4980




4850




5120



5580



5860



6030

WELL Hanging fabrics

Width: 150 cm

Weight: 290 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- IMO FTP Code Part 7 (IMO Res A 471(12)/IMO Re A 563 (14))

- EN 13773, Class 1

- NF P 92-503-507, M1

- SN 198898

- EN 13501-1

- UNI 8456/8457

- NFPA 701

Acoustics:

Measurement of sound absorption in a reverberation room: EN ISO 354:2003. Ration of sound absorption EN ISO 11654:1997: $w = 0,85$ Class

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

