

TONE
Upholstery fabrics


 **svensson**



3221




3231




3263



3345



4210



4220



4321




4325



4326



4331




4353



4363




4431



4441



4550




4560



4621



4631



5261



5272

TONE Upholstery fabrics

Width: 140 cm

Weight: 280 g/m²

Material: Trevira CS 100%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 50000 rubs

Flame retardancy:

- EN 1021-1, 2- DIN 4102-1 B1-

IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 8

- NFP 92-503-507 M1

- BS 5852 Crib 5

- UNI 9175, 1IM

- EN 13501-1, B-s1, d0

- SN 198898

- NFPA 260

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






5611



5631



6065



6075



6253



6263



6535




6540




6550



6552



6572



6632



6642



6731




6740




6844



6853



8800



8900

TONE

Upholstery fabrics

Width: 140 cm
Weight: 280 g/m²
Material: Trevira CS 100%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 50000 rubs

Flame retardancy:
 - EN 1021-1, 2- DIN 4102-1 B1-
 IMO FTP Code 2010:
 - DIN 4102-1 B1
 - IMO FTP Code 2010: Part 8
 - NFP 92-503-507 M1
 - BS 5852 Crib 5
 - UNI 9175, 1IM
 - EN 13501-1, B-s1, d0
 - SN 198898
 - NFPA 260

Care instructions:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

