





**LANE**  
Upholstery fabrics


 **svensson**




3050



3326



3333



3444



3750



3871



4220



4332



4421




4471




4540




4551




4651



4661




5052




5061




5071



5421



5632



6071

## LANE Upholstery fabrics

**Width:** 140 cm

**Weight:** 350 g/m<sup>2</sup>

**Material:** Wool 100%

**Color fastness:**

Against dry rubbing according to EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO 12947-2):

- 50000 rubs

**Flame retardancy:**

- IMO FTP Code Part 8

**Care instructions:**



**For further information:**


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6320



6471



6560



6732



6740



6831



6934



6952



8400



8500

## LANE

### Upholstery fabrics

**Width:** 140 cm

**Weight:** 350 g/m<sup>2</sup>

**Material:** Wool 100%

**Color fastness:**

Against dry rubbing according to EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO 12947-2):

- 50000 rubs

**Flame retardancy:**

- IMO FTP Code Part 8

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

