




**DAY**  
Hanging fabrics



3123



4532



5021



5241



6120



6410



6451




6510



6911




8000




3146



3245




3336



3421



3433



3762



4071



4122



4430



4445

## DAY

### Hanging fabrics

**Bredd:** 300 cm

**Vikt:** 110 g/m<sup>2</sup>

**Material:** Trevira CS 100%

**Krympning:** 2 %

**Färghårdighet:**

Mot ljus enligt EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- ≥ 5 (Skala 1-5)

**Svårantändlighet:**

- BS 5867-2 Type B- DIN 4102-1

B1- IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507 M1

- EN 13773 Class 1

- EN 13501-1; B-s1, d0

- ÖNORM 3800-1

- SN 198898

- UNI 8456/8457

- NFPA 701

**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)




**Skötselansvisning:**







4553




4632



4660




4820



4854



5221



5545



5822



6052



6125



6324



6520



6620




6925



8110



8120



8400



8600

## DAY

### Hanging fabrics

**Bredd:** 300 cm

**Vikt:** 110 g/m<sup>2</sup>

**Material:** Trevira CS 100%

**Krympning:** 2 %

**Färghärdighet:**

Mot ljus enligt EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- ≥ 5 (Skala 1-5)

**Svårantändlighet:**

- BS 5867-2 Type B- DIN 4102-1

B1- IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507 M1

- EN 13773 Class 1

- EN 13501-1; B-s1, d0

- ÖNORM 3800-1

- SN 198898

- UNI 8456/8457

- NFPA 701

**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com



**Skötselansvisning:**

