

TONE
Upholstery fabrics


 **svensson**




3221



3231




3263



3345



4210



4220



4321



4325



4326



4331




4353



4363




4431




4441




4550




4560



4621



4631



5261



5272

TONE

Upholstery fabrics

Bredd: 140 cm
Vikt: 280 g/m²
Material: Trevira CS 100%

Färghärdighet:
Mot gnidning torr enligt EN ISO 105-X12:
 - 4 (Skala 1-5)
Mot ljus enligt EN ISO 105-B02
 - 5-7 (Skala 1-8)
Mot gnidning våt enligt EN ISO 105-X12:
 - 3-4 (Skala 1-5)

Nötning:
Martindale (Enligt EN ISO 12947-2):
 - 50000 varv

Svårantändlighet:
 - EN 1021-1, 2- DIN 4102-1 B1-
 IMO FTP Code 2010:
 - DIN 4102-1 B1
 - IMO FTP Code 2010: Part 8
 - NFP 92-503-507 M1
 - BS 5852 Crib 5
 - UNI 9175, 1IM
 - EN 13501-1, B-s1, d0
 - SN 198898
 - NFPA 260

Skötselansvisning:



For further information:

Svensson
 511 82 Kinna, Sweden
 T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com






5611



5631



6065



6075



6253




6263



6535



6540



6550



6552



6572



6632




6642



6731



6740




6844



6853



8800



8900

TONE

Upholstery fabrics

Bredd: 140 cm
Vikt: 280 g/m²
Material: Trevira CS 100%

Färghärdighet:
Mot gnidning torr enligt EN ISO 105-X12:
 - 4 (Skala 1-5)
Mot ljus enligt EN ISO 105-B02
 - 5-7 (Skala 1-8)
Mot gnidning våt enligt EN ISO 105-X12:
 - 3-4 (Skala 1-5)

Nötning:
Martindale (Enligt EN ISO 12947-2):
 - 50000 varv

Svårantändlighet:
 - EN 1021-1, 2- DIN 4102-1 B1-
 IMO FTP Code 2010:
 - DIN 4102-1 B1
 - IMO FTP Code 2010: Part 8
 - NFP 92-503-507 M1
 - BS 5852 Crib 5
 - UNI 9175, 1IM
 - EN 13501-1, B-s1, d0
 - SN 198898
 - NFPA 260

Skötselansvisning:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

