



**BALANCE**  
Upholstery fabrics

 **svensson**



3030



3227



3418



3726



3732



3863




4436



4454




4615




4745



4831



5026



5636



5842



5917



6072



6336



6636



6708



6908

## BALANCE

### Upholstery fabrics

**Bredd:** 140 cm

**Vikt:** 570 g/m<sup>2</sup>

**Material:** Ull 82%  
Polyamid 6%  
RAMI 12%

**Färghärdighet:**

*Mot gnidning torr enligt EN ISO 105-X12:*

- 4 (Skala 1-5)

*Mot ljus enligt EN ISO 105-B02*

- 5-7 (Skala 1-8)

*Mot gnidning våt enligt EN ISO 105-X12:*

- 3-4 (Skala 1-5)

**Nötning:**

*Martindale (Enligt EN ISO 12947-2):*

- 100000 varv

**Svårantändlighet:**

- EN ISO 1021 part 1, 2- BS 5852

*Crib 5- UNI 9175, 1 IM- TB 117-*

*IMO FTP Code 2010:*

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code 2010: Part 8

**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






6972



8200



8500



8900

## BALANCE

### Upholstery fabrics

**Bredd:** 140 cm

**Vikt:** 570 g/m<sup>2</sup>

**Material:** Ull 82%  
Polyamid 6%  
RAMI 12%

**Färghärdighet:**

*Mot gnidning torr enligt EN ISO 105-X12:*

- 4 (Skala 1-5)

*Mot ljus enligt EN ISO 105-B02*

- 5-7 (Skala 1-8)

*Mot gnidning våt enligt EN ISO 105-X12:*

- 3-4 (Skala 1-5)

**Nötning:**

*Martindale (Enligt EN ISO 12947-2):*

- 100000 varv

**Svårantändlighet:**

- EN ISO 1021 part 1, 2- BS 5852

*Crib 5- UNI 9175, 1 IM- TB 117-*

*IMO FTP Code 2010:*

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code 2010: Part 8

**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)

