




**AIRY**  
Hanging fabrics


 **svensson**




3010




3243




3463



3631




4053




4333




4410




4422




4441




4461




4542



4652



4672



4851



5031




5631




5681



6242



6444



6531

## AIRY

### Hanging fabrics

**Bredd:** 300 cm

**Vikt:** 115 g/m<sup>2</sup>

**Material:** Trevira CS 100%

**Krympning:** 2 %

**Färghårdighet:**

Mot ljus enligt EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- ≥ 5 (Skala 1-5)

**Svårantändlighet:**

- BS 5867-2 Type B - DIN 4102-1

B1 - IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507, M1

- EN 13773, Class 1

- EN 13501-1, Class B-s1, d0

- NFPA 701

- UNI 8456/8457

**For further information:**

Svensson  
511 82 Kinna, Sweden


T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

**Skötselansvisning:**







6711




6723




6736



6827




6841




6862




6920



8000



8220



8330

## AIRY

### Hanging fabrics

**Bredd:** 300 cm

**Vikt:** 115 g/m<sup>2</sup>

**Material:** Trevira CS 100%

**Krympning:** 2 %

**Färghårdighet:**

Mot ljus enligt EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- ≥ 5 (Skala 1-5)

**Svårantändlighet:**

- BS 5867-2 Type B - DIN 4102-1

B1 - IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507, M1

- EN 13773, Class 1

- EN 13501-1, Class B-s1, d0

- NFPA 701

- UNI 8456/8457

**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

**Skötselansvisning:**

