





**JOLLY RE**  
Upholstery fabrics






3031



3132



3236



3245



3327



3518



3872



4370



4433



4454



4544



5221



5852




6133




6231



6272



6424



6542



6621



6635

## JOLLY RE

### Upholstery fabrics

**Bredd:** 140 cm

**Vikt:** 330 g/m<sup>2</sup>

**Material:** Återvunnen Trevira CS 72%  
Trevira CS 28%

**Krympning:** 2 %

**Färghärdighet:**

Mot gnidning torr enligt EN ISO 105-X12:

- ≥ 4 (Skala 1-5)

Mot ljus enligt EN ISO 105-B02

- ≥ 5 - 7 (Skala 1-8)

Mot gnidning våt enligt EN ISO 105-X12:

- ≥ 3-4 (Skala 1-5)

**Nötning:**

Martindale (Enligt EN ISO 12947-2):  
- 40000 varv

**Svårantändlighet:**

- EN 1021-1&2 - DIN 4102-1

B1- BS 5852 Crib 5- EN 13501-1;

B-s1, d0- NFP 92-503-507 M1- IMO

FTP Code 2010:

- DIN 4102-1 B1

- BS 5852 Crib 5

- EN 13501-1; B-s1, d0

- NFP 92-503-507 M1

- IMO FTP Code 2010: Part 8

**Skötselansvisning:**



**For further information:**


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com







6754



6931



8110



8330



8900

## JOLLY RE

### Upholstery fabrics

**Bredd:** 140 cm

**Vikt:** 330 g/m<sup>2</sup>

**Material:** Återvunnen Trevira CS 72% - 40000 varv  
Trevira CS 28%

**Krympning:** 2 %

**Färghärdighet:**

*Mot gnidning torr enligt EN ISO 105-X12:*

- ≥ 4 (Skala 1-5)

*Mot ljus enligt EN ISO 105-B02*

- ≥ 5 - 7 (Skala 1-8)

*Mot gnidning våt enligt EN ISO 105-X12:*

- ≥ 3-4 (Skala 1-5)

**Nötning:**

*Martindale (Enligt EN ISO 12947-2):*

- 40000 varv

**Svårantändlighet:**

- EN 1021-1&2 - DIN 4102-1

B1- BS 5852 Crib 5- EN 13501-1;

B-s1, d0- NFP 92-503-507 M1- IMO

FTP Code 2010:

- DIN 4102-1 B1

- BS 5852 Crib 5

- EN 13501-1; B-s1, d0

- NFP 92-503-507 M1

- IMO FTP Code 2010: Part 8

**Skötselansvisning:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

