



**CHEERS RE**  
Upholstery fabrics


 **svensson**




3033



3051



3131



3253



3426



3527



3972



4370



4445



4462



4553



4562



4572



4663



5020



5163



5545



5572



6330



6511

## CHEERS RE

### Upholstery fabrics

**Bredd:** 140 cm

**Vikt:** 310 g/m<sup>2</sup>

**Material:** Återvunnen Trevira CS 100%- 50000 varv

**Krympning:** 2 %

**Färghårdighet:**

Mot gnidning torr enligt EN ISO

105-X12:

- ≥ 4 (Skala 1-5)

Mot ljus enligt EN ISO 105-B02

- ≥ 5 - 7 (Skala 1-8)

Mot gnidning våt enligt EN ISO

105-X12:

- ≥ 3-4 (Skala 1-5)

**Nötning:**

Martindale (Enligt EN ISO 12947-2):

**Svårantändlighet:**

- EN 1021-1&2 - DIN 4102-1

B1- BS 5852 Crib 5- EN 13501-1;

B-s1, d0- NFP 92-503-507 M1- IMO

FTP Code 2010:

- DIN 4102-1 B1

- BS 5852 Crib 5

- EN 13501-1; B-s1, d0

- NFP 92-503-507 M1

- IMO FTP Code 2010: Part 8

**Skötselansvisning:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com





6513



6721



6932



6952



8900

## CHEERS RE

### Upholstery fabrics

**Bredd:** 140 cm

**Vikt:** 310 g/m<sup>2</sup>

**Material:** Återvunnen Trevira CS 100%- 50000 varv

**Krympning:** 2 %

**Färghärdighet:**

*Mot gnidning torr enligt EN ISO*

*105-X12:*

- ≥ 4 (Skala 1-5)

*Mot ljus enligt EN ISO 105-B02*

- ≥ 5 - 7 (Skala 1-8)

*Mot gnidning våt enligt EN ISO*

*105-X12:*

- ≥ 3-4 (Skala 1-5)

**Nötning:**

*Martindale (Enligt EN ISO 12947-2):*

**Svårantändlighet:**

- EN 1021-1&2 - DIN 4102-1

B1- BS 5852 Crib 5- EN 13501-1;

B-s1, d0- NFP 92-503-507 M1- IMO

FTP Code 2010:

- DIN 4102-1 B1

- BS 5852 Crib 5

- EN 13501-1; B-s1, d0

- NFP 92-503-507 M1

- IMO FTP Code 2010: Part 8

**Skötselansvisning:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

